



Delivering more than
just test results

ALG ORELAP ID #OR100012

361 West 5th Ave

Eugene, OR 97401

TEL: (541) 485-8404 FAX: (541) 484-5995

Website:

August 15, 2016

Doug Pigman
Greater Albany Public Schools
3610 Grand Prairie
Albany, OR 97322
TEL: (541) 967-4513
FAX

RE: Central

Order No.: 1607507

Dear Doug Pigman:

Analytical Laboratory Group received 20 sample(s) on 7/12/2016 for the analyses presented in the following report.

A handwritten signature in black ink that reads 'Kimberly J. Reeve Morghan'.

Kimberly Reeve Morghan
Quality Manager
361 West 5th Ave
Eugene, OR 97401



Delivering more than
just test results

ALG ORELAP ID #OR100012

361 West 5th Ave

Eugene, OR 97401

TEL: (541) 485-8404 FAX: (541) 484-5995

Website:

Case Narrative

WO#: 1607507

Date: 8/15/2016

CLIENT: Greater Albany Public Schools

Project: Central

This report presents the results of the analyses of the sample(s) received on the date above and assigned the listed ALG lab report numbers. Test results relate only to the parameters tested and to the samples as received by the laboratory.

This report shall not be reproduced, except in full, without written consent of Analytical Laboratory Group, Inc.

All analyses were performed according to the Analytical Laboratory Group, Inc. Quality Assurance Program.

All QA/QC requirements were met except as noted below.

Analytical comments are noted with data flags on the reports and/or below.

WO#: 1607507
CLIENT: Greater Albany Public Schools
Project: Central
PWS Number:
Sample Source:

Received Date: 7/12/2016 3:00:00 PM
Sampler Name: Kelsey OConnell / Stephanie
Matrix: Drinking Water
Sample Type:

Lab ID: 1607507-001 **Client Sample ID:** Kitchen Handwashing Sink **Collection Date:** 7/11/2016 2:28:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00321	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-002 **Client Sample ID:** Kitchen Dishwashing Sink **Collection Date:** 7/11/2016 2:28:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00627	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-003 **Client Sample ID:** Cafe Short Fountain **Collection Date:** 7/11/2016 2:30:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00693	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-004 **Client Sample ID:** Cafe Tall Fountain **Collection Date:** 7/11/2016 2:30:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00951	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-005 **Client Sample ID:** Rm 11 Sink **Collection Date:** 7/11/2016 2:32:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.0117	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-006 **Client Sample ID:** Rm 12 Sink **Collection Date:** 7/11/2016 2:33:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00625	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-007 **Client Sample ID:** Rm 14 Sink **Collection Date:** 7/11/2016 2:33:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00577	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-008 **Client Sample ID:** Rm 15 Sink **Collection Date:** 7/11/2016 2:34:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00489	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Qualifiers:

* Value exceeds Maximum Contaminant Level (MCL)	A Accredited by ORELAP
C Value is below Minimum Compound Limit.	E Value above quantitation range
H Holding times for preparation or analysis exceeded	LOD Limit of Detection
MCL Maximum Contaminant Level	NAR See note in Case Narrative
ND Not Detected at the Reporting Limit	PL Permit Limit

WO#: 1607507
CLIENT: Greater Albany Public Schools
Project: Central
PWS Number:
Sample Source:

Received Date: 7/12/2016 3:00:00 PM
Sampler Name: Kelsey OConnell / Stephanie
Matrix: Drinking Water
Sample Type:

Lab ID: 1607507-009 **Client Sample ID:** Basement Hall Fount. **Collection Date:** 7/11/2016 2:35:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00306	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-010 **Client Sample ID:** Library Sink **Collection Date:** 7/11/2016 2:41:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00338	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-011 **Client Sample ID:** Rm 22 Sink **Collection Date:** 7/11/2016 2:41:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00736	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-012 **Client Sample ID:** Staff Rm Sink **Collection Date:** 7/11/2016 2:39:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00252	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-013 **Client Sample ID:** Rm 24 Sink **Collection Date:** 7/11/2016 2:38:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00971	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-014 **Client Sample ID:** Rm 25 Sink **Collection Date:** 7/11/2016 2:38:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.0159	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-015 **Client Sample ID:** Gym Hall Fount. **Collection Date:** 7/11/2016 2:40:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Qualifiers:

* Value exceeds Maximum Contaminant Level (MCL)	A Accredited by ORELAP
C Value is below Minimum Compound Limit.	E Value above quantitation range
H Holding times for preparation or analysis exceeded	LOD Limit of Detection
MCL Maximum Contaminant Level	NAR See note in Case Narrative
ND Not Detected at the Reporting Limit	PL Permit Limit

WO#: 1607507
CLIENT: Greater Albany Public Schools
Project: Central
PWS Number:
Sample Source:

Received Date: 7/12/2016 3:00:00 PM
Sampler Name: Kelsey OConnell / Stephanie
Matrix: Drinking Water
Sample Type:

Lab ID: 1607507-016 **Client Sample ID:** Rm 30 Sink **Collection Date:** 7/11/2016 2:46:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.0114	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-017 **Client Sample ID:** Rm 31 Sink **Collection Date:** 7/11/2016 2:46:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.0159	0.0200	0.00400		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-018 **Client Sample ID:** Top Floor Hall Fountain **Collection Date:** 7/11/2016 2:48:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-019 **Client Sample ID:** Rm 36 Sink **Collection Date:** 7/11/2016 2:49:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00288	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Lab ID: 1607507-020 **Client Sample ID:** First Aid Sink **Collection Date:** 7/11/2016 2:40:00 PM

Analyses	Method	Result	MCL	RL	Qual	Units	Date Analyzed	Analys
Lead	SM 3113 B	0.00453	0.0200	0.00200		mg/L	8/14/2016 7:38:00 AM	KG

Qualifiers:

*	Value exceeds Maximum Contaminant Level (MCL)	A	Accredited by ORELAP
C	Value is below Minimum Compound Limit.	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	LOD	Limit of Detection
MCL	Maximum Contaminant Level	NAR	See note in Case Narrative
ND	Not Detected at the Reporting Limit	PL	Permit Limit



ALG ORELAP ID #OR100012
 361 West 5th Ave
 Eugene, OR 97401
 TEL: (541) 485-8404 FAX: (541) 484-5995
 Website:

Accreditation Program Analytes Report

WO#: 1607507
 15-Aug-16

Client: Greater Albany Public Schools
Project: Central

Program Name	Sample ID	ClientSampleID	Matrix	Test Name	Analyte	Status
ORELAP	1607507-001A	Kitchen Handwashing Sink	Drinking Water	AA Metals by SM 3113 Schools 250mL	Lead	A
	1607507-002A	Kitchen Dishwashing Sink			Lead	A
	1607507-003A	Cafe Short Fountain			Lead	A
	1607507-004A	Cafe Tall Fountain			Lead	A
	1607507-005A	Rm 11 Sink			Lead	A
	1607507-006A	Rm 12 Sink			Lead	A
	1607507-007A	Rm 14 Sink			Lead	A
	1607507-008A	Rm 15 Sink			Lead	A
	1607507-009A	Basement Hall Fount.			Lead	A
	1607507-010A	Library Sink			Lead	A
	1607507-011A	Rm 22 Sink			Lead	A
	1607507-012A	Staff Rm Sink			Lead	A
	1607507-013A	Rm 24 Sink			Lead	A
	1607507-014A	Rm 25 Sink			Lead	A
	1607507-015A	Gym Hall Fount.			Lead	A
	1607507-016A	Rm 30 Sink			Lead	A
	1607507-017A	Rm 31 Sink			Lead	A
	1607507-018A	Top Floor Hall Fountain			Lead	A
	1607507-019A	Rm 36 Sink			Lead	A
	1607507-020A	First Aid Sink			Lead	A

ORELAP A Accredited

ACCRED



Delivering more than
just test results

ALG ORELAP ID #OR100012

361 West 5th Ave

Eugene, OR 97401

TEL: (541) 485-8404 FAX: (541) 484-5995

Website:

Definition Base

WO#: 1607507

Date: 8/15/2016

Definitions:

% REC: Percent Recovery; a measure of accuracy expressed as a percentage of a measured (recovered) concentration compared to the known concentration added to the sample.

% RPD: Relative Percent Difference; a measure of precision expressed as a percentage of the difference between two duplicates relative to the average concentration.

DF: Dilution factor; the dilution factor applied to the prepared sample.

DUP: Duplicate; aliquots of a sample taken from the same container under laboratory conditions and processed and analyzed independently, used to calculate Precision (%RPD).

LCS: Laboratory Control Sample; prepared by adding a known mass of target analytes to a specified amount of de-ionized water and prepared with the batch of samples, used to calculate Accuracy (%REC).

LCSD: The duplicate sample of the LCS, used to calculate both Accuracy (%REC) and Precision (%RPD)

MBLK: Method Blank; a sample of similar matrix that is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedure, and in which no target analytes or interferences are present at concentrations that impact the analytical results for sample analyses.

MS: Matrix Spike; prepared by adding a known mass of target analytes to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available, used to calculate Accuracy (%REC)

MSD: The duplicate sample of the MS, used to calculate both Accuracy (%REC) and Precision (%RPD)

ND: Not Detected. The analyte level is below the lowest point the laboratory can test for.

PL: Permit limit; only applicable to wastewater reports.

PQL: Practical Quantitation Level or Reporting Limit; the limit to which data is compared for reporting.

Qual: Qualifier that applies to the analyte reported

Definitions:

Result: Analyte concentration reported

RL: Reporting Limit/Limit of Quantitation; the limit to which data is compared for reporting. Analyte concentrations below the reporting limit are reported as ND or with a “J” qualifier.

Units: The units in which the analyte concentration is reported.

Qualifiers:

*	Value exceeds Maximum Contaminant Level (MCL)
A	Accredited by ORELAP
C	Value is below Minimum Compound Limit.
E	Value above quantitation range
H	Holding times for preparation or analysis exceeded
LOD	Limit of Detection
MCL	Maximum Contaminant Level
NAR	See note in Case Narrative
ND	Not Detected at the Reporting Limit
PL	Permit Limit
R	RPD outside accepted recovery limits
RL	Reporting Detection Limit
U	Samples with CalcVal < MDL
W	Sample container temperature is out of limit as specified at testcode

Analytical Laboratory Group, Inc.

361 WEST FIFTH AVENUE
EUGENE, OREGON 97401

800-262-5973/541-485-8404 Fax 541-484-5995

Email: alglabs@alglabsinc.com



Delivering more than just test results.

CHAIN OF CUSTODY

Attention: <u>Doug Pigman</u>	Client: <u>Greater Albany Public Schools</u>
Phone: <u>541/967-4513</u>	Address: <u>3610 Grand Prairie</u>
Email: <u>doug.pigman@alglabsinc.com</u>	City, State, Zip: <u>Albany, OR 97322</u>
Client Project: <u>Central</u>	Sampler: <u>Print Kebeq Cronnell Stephanie Dilbone</u>
Sampler: Signature _____	

Client ID	Sample Matrix & Grab/Comp	Collection		Analysis Requested	Bottles - Lab Use Only				
		Date	Time		Type	#	Pres	T °C	Lab ID
kitchen Handwashing sink	DW/Grab	7-11	2:28	Lead	P	1			001
kitchen Dishwashing sink	DW/Grab	7-11	2:28	Lead	P	1			002
cafe short fountain	DW/Grab	7-11	2:30	Lead	P	1			003
cafe tall fountain	DW/Grab	7-11	2:30	Lead	P	1			004
Rm 11 sink	DW/Grab	7-11	2:32	Lead	P	1			005
Rm 12 sink	DW/Grab	7-11	2:33	Lead	P	1			006
Rm 14 sink	DW/Grab	7-11	2:33	Lead	P	1			007
Rm 15 sink	DW/Grab	7-11	2:34	Lead	P	1			008
Basement hall fount.	DW/Grab	7-11	2:35	Lead	P	1			009
library sink	DW/Grab	7-11	2:41	Lead	P	1			010

Notes:	Preservation Check				
	Lab ID	Date/Time	Pre-Preserved	pH	Tech

Turn Around Time Requested (Rush incurs a Surcharge): <input checked="" type="checkbox"/> NORMAL <input type="checkbox"/> RUSH	Shipped Via: <u>ALG Courier</u>	Refrigerated <u>N/A</u>
---	------------------------------------	----------------------------

Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by:	Date	Time
			<u>MF</u>	<u>7/12/16</u>	<u>1400</u>
Relinquished by:	Date	Time	Received by Laboratory:	Date	Time
<u>MF</u>	<u>7/12/16</u>	<u>1500</u>	<u>Sam St. Julian</u>	<u>7/12/16</u>	<u>1500</u>

Analytical Laboratory Group, Inc.

361 WEST FIFTH AVENUE
EUGENE, OREGON 97401

800-262-5973/541-485-8404 Fax 541-484-5995

Email: alglabs@alglabsinc.com



Delivering more than just test results

CHAIN OF CUSTODY

Attention: <u>Doug Pigman</u>	Client: <u>Greater Albany Public Schools</u>
Phone: <u>541/967-4513</u>	Address: <u>3610 Grand Prairie</u>
Email: <u>doug.pigman@albanymk2.org</u>	City, State, Zip: <u>Albany, OR 97322</u>
Client Project: <u>Central</u>	Sampler: <u>Print Kelsey O'Connell Stephanie Pilbone</u>
	Sampler: <u>Signature</u>

Client ID	Sample Matrix & Grab/Comp	Collection		Analysis Requested	Bottles -Lab Use Only				
		Date	Time		Type	#	Pres	T °C	Lab ID
Rm 22 sink	DW/Grab	7-11	2:41	Lead	P	1			011
staff Rm Sink	DW/Grab	7-11	2:39	Lead	P	1			012
Rm 24 sink	DW/Grab	7-11	2:38	Lead	P	1			013
Rm 25 sink	DW/Grab	7-11	2:38	Lead	P	1			014
Gym Hall Fount.	DW/Grab	7-11	2:40	Lead	P	1			015
Rm 30 sink	DW/Grab	7-11	2:46	Lead	P	1			016
Rm 31 sink	DW/Grab	7-11	2:46	Lead	P	1			017
top floor hall Fountain.	DW/Grab	7-11	2:48	Lead	P	1			018
Rm 36 sink	DW/Grab	7-11	2:49	Lead	P	1			019
first aid sink	DW/Grab	7-11	2:40	Lead	P	1			020

Notes:	Preservation Check				
	Lab ID	Date/Time	Pre-Preserved	pH	Tech

Turn Around Time Requested (Rush incurs a Surcharge):		Shipped Via:		Refrigerated	
<input checked="" type="checkbox"/> NORMAL <input type="checkbox"/> RUSH		<u>ALG Courier</u>		<u>N/A</u>	
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by:	Date	Time
			<u>MF</u>	<u>7/12/16</u>	<u>1400</u>
Relinquished by:	Date	Time	Received by Laboratory:	Date	Time
<u>MF</u>	<u>7/12/16</u>	<u>1500</u>	<u>Sam St. Julian</u>	<u>7/12/16</u>	<u>1500</u>