

Radon test result report for:

SOUTH SHORE ELEMENTARY SCHOOL

N/A

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7856332	1	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856314	10	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856313	11	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856310	12	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856329	2	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856330	3	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856319	3	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856328	31	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856322	32	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856342	33	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856338	34	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856334	35	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856327	36	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856326	37	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856321	38	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856333	4	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856320	5	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856341	6	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856335	7	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856311	8	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856317	9	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	15.1 ± 1.7	2017-11-14
7856323	CAFETERIA	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856337	FOCUS ROOM	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856312	GYM	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856339	GYM	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856340	GYM	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856318	LIBRARY	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856309	LIBRARY	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856315	LIBRARY	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856336	OFFICE	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856331	OFFICE	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856343	SPEECH ROOM	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14
7856324	STAGE	2017-11-06 @ 7:00 am	2017-11-09 @ 7:00 am	< 0.3	2017-11-14